




# Grass Specification Multi Soft 24

# GRASS SPECIFICATION



|                                                                                                                                                    |                                                           |                                          |             |
|----------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------|------------------------------------------|-------------|
| Grass Name                                                                                                                                         | SIS Grass Synthetic Multi Soft 24                         |                                          |             |
| Premium fibrillated synthetic surface suitable for Hockey & Multi-use. Featuring our specially developed SIS Bond polyurethane coating technology. |                                                           |                                          |             |
| Application                                                                                                                                        | Hockey & Multi Sports Use                                 |                                          |             |
| Colour                                                                                                                                             | Turf green                                                |                                          |             |
| Product Description                                                                                                                                | Premium polyethylene fibrillated                          |                                          |             |
| Product Benefits                                                                                                                                   | Dense, durable and resilient system                       |                                          |             |
| Yarn Type                                                                                                                                          | Heavy-metal free, UV stabilised, polyethylene fibrillated |                                          |             |
| Yarn Structure                                                                                                                                     | 11,000 dtex fibrillated                                   |                                          |             |
| Tuft Characteristics                                                                                                                               |                                                           |                                          |             |
| Pile Weight                                                                                                                                        | 1,112g per m2                                             | Pile Height                              | 24mm        |
| Number of Stitches                                                                                                                                 | 23 per 10cm                                               | Machine Gauge                            | 3/8”        |
| Backing Characteristics                                                                                                                            |                                                           |                                          |             |
| Primary Backing                                                                                                                                    | Backing structure                                         | 2 x woven polypropylene primary backings |             |
| Secondary Backing                                                                                                                                  |                                                           |                                          |             |
| Compound base                                                                                                                                      | SIS Bond polyurethane                                     |                                          |             |
| Colour                                                                                                                                             | Grey                                                      | Coating Weight                           | 600g per m2 |
| Particulate Infill                                                                                                                                 |                                                           |                                          |             |
| Sand Type                                                                                                                                          | Silica sand at 0.2-0.7mm                                  |                                          |             |
| Recommend Infill Ratio                                                                                                                             | 28 - 30kg per m2                                          |                                          |             |
|                                                                                                                                                    |                                                           |                                          |             |
| Width                                                                                                                                              | 4m                                                        | Length                                   | Up to 65m   |
| Total Product Weight                                                                                                                               | 1,945g per m2                                             |                                          |             |



Main Office: 01949 861 486  
Website: [www.premierplaysolutions.co.uk](http://www.premierplaysolutions.co.uk)  
Email: [info@premierplaysolutions.co.uk](mailto:info@premierplaysolutions.co.uk)

