




Timber Trim Trails

Trim Trails - Individual Elements


Balance Walk

L 2400 W 125 H 433mm
FFH 433mm



Sloping Balance Walk

L 2400 W 125 H 434mm
FFH 434mm



Balance Beam

L 2400 W 200 H 435mm
FFH 435mm



Three Bar Balance

L 5500 W 1115 H 511mm
FFH 511mm



V Balance Beam

L 2002 W 2050 H 470mm
FFH 470mm



Low Log Roll

L 3300 W 200 H 500mm
FFH 500mm



Balance Junction

L 2400 W 2400 H 550mm
FFH 550mm



150mm Stepping Logs (set of 4)

L 400 W 150 H 400mm
FFH 400mm




200mm Stepping Logs (set of 4)

L 400 W 200 H 400mm
FFH 400mm



Balance Challenge

L 6900 W 1600 H 434mm
FFH 434mm




Balance Slalom

L 3250 W 1200 H 585mm
FFH 585mm



Double Sloping Balance Weave

L 4589 W 1150 H 1800mm
FFH 570mm



Balance Weave

L 2800 W 375 H 1800mm
FFH 450mm



Sloping Balance Weave

L 2792 W 375 H 1800mm
FFH 555mm



Log Stack


L 1250 W 1800 H 560mm
FFH 560mm



Dimensions are for the apparatus only and do not include any safety surfacing.
FFH = Free Fall Height. Any FFH above 900mm requires an element of safety surfacing

Trim Trails - Individual Elements

Log Snake Weaver
L 1790 W 661 H 1500mm
FFH 300mm



Log Snake
L 1565 W 410 H 500mm
FFH 500mm




0.6m Wobble Board
L 600 W 195 H 380mm
FFH 380mm



Walk and Stretch Posts
L 2225 W 635 H 1000mm
FFH 300mm




1.6m Wobble Board
L 1600 W 195 H 380mm
FFH 380mm



Tightrope Crossing
L 4695 W 850 H 1200mm
FFH 400mm



Parallel Bars
L 2400 W 725 H 1175mm
FFH 1175mm



Log Hurdles
L 8125 W 2400 H 903mm
FFH 903mm




Roll Over Bars
L 3200 W 125 H 1100mm
FFH 1100mm



Leap Frog
L 9125 W 125 H 600mm
FFH 600mm



1.5m Chin Ups
L 3200 W 125 H 1500mm
FFH 1500mm



Steel feet

Galvanised steel feet can be fitted on all Timber Trails for a small additional charge. Steel feet offer an alternative to in-ground timbers and can be used in both wet pour and extended for loose fill surfacing.



Dimensions are for the apparatus only and do not include any safety surfacing.
FFH = Free Fall Height. Any FFH above 900mm requires an element of safety surfacing



Trim Trails - Individual Elements

Free Standing Tunnel
L 1338 W 850 H 965mm
FFH 135mm ▼



Rope Junction
L 2850 W 1500 H 1600mm
FFH 575mm ▼



Spider Web Net
L 3243 W 3243 H 1500mm
FFH 459mm ▼



Slalom Rope Walk
L 4322 W 695 H 1800mm
FFH 458mm ▼




Suspension Bridge
L 2225 W 1300 H 1400mm
FFH 513mm ▼




Wobble Log Bridge
L 2700 W 1200 H 1700mm
FFH 536mm ▼




Wobble Bridge
L 2700 W 1200 H 1400mm
FFH 513mm ▼



Rope Crossing
L 2650 W 1000 H 1400mm
FFH 450mm ▼




Burma Bridge
L 3000 W 1125 H 1450mm
FFH 523mm ▼




Crawl Net
L 2107 W 1179 H 600mm
FFH 600mm ▼



Rope Bridge
L 2650 W 1125 H 1400mm
FFH 1400mm ▼



Rope Tunnel
L 2700 W 1000 H 1425mm
FFH 1425mm ▼



Underground Tunnel
L 1925 W 1450 H 1200mm
FFH 200mm ▼



Sleeper Tunnel With Steps
L 2400 W 1390 H 1700mm
FFH 860mm ▶



Mound not included.

Steel feet

Galvanised steel feet can be fitted on all Timber Trails for a small additional charge. Steel feet offer an alternative to in-ground timbers and can be used in both wet pour and extended for loose fill surfacing.



Dimensions are for the apparatus only and do not include any safety surfacing.
FFH = Free Fall Height. Any FFH above 900mm requires an element of safety surfacing

Trim Trails - Individual Elements


Rope Walk

L 3350 W 250 H 2700mm
FFH 460mm ▼



Cross Rope

L 3350 W 250 H 2700mm
FFH 1000mm ▼



Drop Rope Traverse

L 3350 W 300 H 2500mm
FFH 521mm ▼



Log Roll

L 3350 W 250 H 2700mm
FFH 462mm ▼



Tarzan Traverse

L 3350 W 300 H 2700mm
FFH 520mm ▼



Log Rope

L 3000 W 450 H 2575mm
FFH 436mm ▼



Vertical Spider Net

L 3000 W 300 H 2550mm
FFH 2550mm ▼



Rope Weave

L 3350 W 300 H 2700mm
FFH 520mm ▼



Log Roll with Drop Ropes

L 3350 W 225 H 2500mm
FFH 462mm ▼



Monkey Bars

L 2862 W 1110 H 1850mm
FFH 1850mm ▼



Tarzan Ring Beam

L 3162 W 1110 H 2050mm
FFH 1750mm ▼



Monkey Bar Log

L 3450 W 720 H 2085mm
FFH 1975mm ▼



Dimensions are for the apparatus only and do not include any safety surfacing.
FFH = Free Fall Height. Any FFH above 900mm requires an element of safety surfacing



Trim Trails - Individual Elements


A Frame Mini

L 1800 W 1465 H 1000mm
FFH 1000mm




A-Frame Low

L 1974 W 1600 H 1500mm
FFH 1500mm



A-Frame High

L 2093 W 1974 H 2000mm
FFH 2000mm



A-Frame Low with Nets

L 1516 W 2110 H 1500mm
FFH 1500mm



Log Climber Low

L 1692 W 1849 H 1500mm
FFH 1500mm



Log Climber High

L 2093 W 1849 H 2000mm
FFH 2000mm



A-Frame High with Nets

L 2093 W 2110 H 2000mm
FFH 2000mm



Low Boulder Climber

L 1525 W 1595 H 1500mm
FFH 1500mm



High Boulder Climber

L 2801 W 1974 H 2000mm
FFH 2000mm




Climb Net

L 2060 W 150 H 1500mm
FFH 1500mm



Mini Twist Net

L 2632 W 1100 H 1500mm
FFH 1500mm



Twist Net

L 3150 W 2295 H 1900mm
FFH 1900mm



Climb Ladder

L 150 W 1350 H 1730mm
FFH 1730mm



Timber Gate Climber

L 1900 W 312 H 1900mm
FFH 1900mm



Steel feet

Galvanised steel feet can be fitted on all Timber Trails for a small additional charge. Steel feet offer an alternative to in-ground timbers and can be used in both wet pour and extended for loose fill surfacing.




Dimensions are for the apparatus only and do not include any safety surfacing.
FFH = Free Fall Height. Any FFH above 900mm requires an element of safety surfacing

Trim Trails - Individual Elements

Wall Net Combo

L 6770 W 150 H 2380mm
FFH 1139mm




Traverse Weave Combo

L 2764 W 802 H 2100mm
FFH 599mm



Traverse Wall

L 2850 W 150 H 1800mm
FFH 500mm




Zig Zag Traverse Wall

L 3922 W 840 H 1800mm
FFH 600mm




6m Sleeper Traverse Wall

L 6000 W 190 H 1755mm
FFH 590mm




Jigsaw Traverse Wall

L 2670 W 825 H 1850mm
FFH 599mm



1.2m Embankment Ramp

L 2200 W 1325 H 1200mm
FFH 275mm




FFH is assuming the ramp is situated on a bank with no drops.

Recommended angle for embankment is 30 degrees.

Zig-Zag Sleeper Traverse Wall

L 2720 W 755 H 1755mm
FFH 590mm



Large Embankment Net

L 5050 W 2800 H 825mm
FFH 825mm

Sleeper Climb Wall

L 4000 W 385 H 2340mm
FFH 2340mm

Regular Embankment Net

L 3640 W 2235 H 599mm
FFH 599mm

Medium Embankment Net

L 4305 W 2475 H 599mm
FFH 599mm




Dimensions are for the apparatus only and do not include any safety surfacing.
FFH = Free Fall Height. Any FFH above 900mm requires an element of safety surfacing

Trim Trails - Combined Trails

Trail 1

L=21m W=1.6m Not including Safety Surface


Consists of: *Sloping Balance Walk, Balance Walk, Drop Rope Traverse, Stepping Logs 200mm, Sloping Balance Weave, Balance Challenge.*



Trail 2

L=21m W=0.64m Not including Safety Surface


Consists of: *Sloping Balance Walk (2), Cross Rope, Stepping Logs 200mm, Log Rope, Log Snake, Rope Walk, Walk and Stretch Posts.*



Trail 3

L=20m W=1.3m Not including Safety Surface


Consists of: *Sloping Balance Walk (2), Suspension Bridge, Log Snake, Log Roll, Stepping Logs 200mm, Burma Bridge, Log Snake Weaver.*



Trail 4

L=25.5m W=1.1m Not including Safety Surface

Consists of: *Tightrope Crossing, Rope Tunnel, Stepping Logs 200mm, Balance Walk, Traverse Weave Combo, Climb Ladder, Tarzan Ring Beam.*



Trail 5

L=17.5m W=1.2m Not including Safety Surface

Consists of: *Stepping Logs 200mm, Crawl Net, Slalom Rope Walk, Rope Weave, 1.6m Wobble Board, Balance Slalom.*



All trails can be arranged differently to suit your needs!


Dimensions are for the apparatus only and do not include any safety surfacing.
FFH = Free Fall Height. Any FFH above 900mm requires an element of safety surfacing

Trim Trails - Combined Trails

Trail 6

L=24m W=1.6m Not including Safety Surface


Consists of: Balance Challenge, Log Rope, Stepping Logs 200mm, Double Sloping Balance Weave, Drop Rope Traverse, Balance Slalom.



Trail 7

L=22.9m W=1.2m Not including Safety Surface


Consists of: Tightrope Crossing, Wobble Bridge, Stepping Logs 200mm, Log Roll with Drop Ropes, Rope Bridge, Sloping Balance Weave.



Trail 8

L=13.75m W=0.6m Not including Safety Surface


Consists of: Balance Walk (2), Rope Walk, Log Rope, Cross Rope.



Trail 9

L=9m W=0.8m Not including Safety Surface

Consists of: Slalom Rope Walk, Log Snake, Jigsaw Traverse Wall.



Trail 10

L=10.5m W=1.2m Not including Safety Surface

Consists of: Sloping Balance Weave, Log Snake Weaver, Balance Slalom, Free Standing Tunnel.



Steel feet

Galvanised steel feet can be fitted on all Timber Trails for a small additional charge. Steel feet offer an alternative to in-ground timbers and can be used in both wet pour and extended for loose fill surfacing.



Dimensions are for the apparatus only and do not include any safety surfacing.
FFH = Free Fall Height. Any FFH above 900mm requires an element of safety surfacing



Main Office: 01949 861 486
Website: www.premierplaysolutions.co.uk
Email: info@premierplaysolutions.co.uk

