

RECYCLED PLASTIC PLAYGROUND EQUIPMENT

*ECO-FRIENDLY
HIGH DENSITY*



CONTENTS

TRIM TRAIL PRODUCTS	4
TRIM TRAIL PACKAGES	34
PLAYTOWERS	40
IMAGINATIVE PLAY	42
SAND AND WATER PLAY	43
MUD KITCHENS AND PLANTERS	44



Many schools are condemning their timber play equipment, often for similar reasons.



The play equipment is no longer safe due to rotting timber

Significant cracking of timber resulting in splinters and trapped fingers



Constant ongoing maintenance required

Benefits of this product:

Very little maintenance required - Recycled plastic does not rot

No splinters or cracks like traditional timber

Resistant to vandalism - less flammable and more resistant to algae and insects

Hard-wearing and durable - lasts 5x longer than timber

UV resistant and available in different colours

Eco-friendly - 100% composed of recycled plastic bottles



Trim Trail Item

Wobble Board

Dimensions: Length 2m, Width 0.3m, Height 0.5m

Age Range: 3+ years

Play Type: Active

Free Space Required: Length 5m, Width 3.3m

Minimum Safety Surface Area: 15.6m²

Free Fall Height: 0.5m

Assembly: Installation Required

Dimensions of Largest Part: Length 2m, Width 0.3m

Conformity to EN1176: Yes



Trim Trail Item

Balance Beam

Dimensions: Length 2m, Width 0.2m, Height 0.3m

Age Range: 3+ years

Play Type: Active

Free Space Required: Length 5m, Width 3.1m

Minimum Safety Surface Area: 13.5m²

Free Fall Height: 0.3m

Assembly: Installation Required

Dimensions of Largest Part: Length 2m, Width 0.15m

Conformity to EN1176: Yes



Trim Trail Item

Incline Balance Beam

Dimensions: Length 2m, Width 0.2m, Height 0.4m

Age Range: 3+ years

Play Type: Active

Free Space Required: Length 5m, Width 3.1m

Minimum Safety Surface Area: 13.5m²

Free Fall Height: 0.4m

Assembly: Installation Required

Dimensions of Largest Part: Length 2m, Width 0.15m

Conformity to EN1176: Yes



Trim Trail Item

Zig Zag Balance Beams

Dimensions: Length 3.25m, Width 1.2m, Height 0.3m

Age Range: 3+ years

Play Type: Active

Free Space Required: Length 6.21m, Width 4.08m


Minimum Safety Surface Area: 20.5m²

Free Fall Height: 0.3m

Assembly: Installation Required

Dimensions of Largest Part: Length 1.5m, Width 0.15m

Conformity to EN1176: Yes



Trim Trail Item

Incline Balance Weave

Dimensions: Length 2m, Width 0.45m, Height 0.16m

Age Range: 3+ years

Play Type: Active

Free Space Required: Length 5m, Width 3.45m

Minimum Safety Surface Area: 16.4m²

Free Fall Height: 0.45m

Assembly: Installation Required

Dimensions of Largest Part: Length 2.1m, Width 0.15m

Conformity to EN1176: Yes



Trim Trail Item

Balance Weave

Dimensions: Length 2m, Width 0.45m, Height 1.6m

Age Range: 3+ years

Play Type: Active

Free Space Required: Length 5m, Width 3.45m

Minimum Safety Surface Area: 16.4m²

Free Fall Height: 0.4m

Assembly: Installation Required

Dimensions of Largest Part: Length 2.1m, Width 0.15m

Conformity to EN1176: Yes



Trim Trail Item

Stepping Stone Snake

Dimensions: Length 1.9m, Width 0.57m, Height 0.5m

Age Range: 3+ years

Play Type: Active

Free Space Required: Length 4.9m, Width 3.57m

Minimum Safety Surface Area: 13.8m²

Free Fall Height: 0.5m

Assembly: Installation Required

Dimensions of Largest Part: Length 0.8m, Width 0.15m

Conformity to EN1176: Yes



Trim Trail Item

Stepping Stone Set of 8

Dimensions: Length 1.2m, Width 0.45m, Height 0.4m

Age Range: 3+ years

Play Type: Active

Free Space Required: Length 4.2m, Width 3.15m

Minimum Safety Surface Area: 11m²

Free Fall Height: 0.4m

Assembly: Installation Required

Dimensions of Largest Part: Length 0.7m, Width 0.15m

Conformity to EN1176: Yes



Trim Trail Item

Stepping Stone Set of 6

Dimensions: Length 1.65m, Width 0.45m, Height 0.4m

Age Range: 3+ years

Play Type: Active

Free Space Required: Length 4.65m, Width 3.45m

Minimum Safety Surface Area: 13.5m²

Free Fall Height: 0.4m

Assembly: Installation Required

Dimensions of Largest Part: Length 0.7m, Width 0.15m

Conformity to EN1176: Yes



Trim Trail Item

Burma Bridge

Dimensions: Length 2m, Width 1m, Height 1.2m

Age Range: 5+ years

Play Type: Active

Free Space Required: Length 5m, Width 4m

Minimum Safety Surface Area: 18m²

Free Fall Height: 0.4m

Assembly: Installation Required

Dimensions of Largest Part: Length 1.7m, Width 0.15m

Conformity to EN1176: Yes



Trim Trail Item

Suspension bridge

Dimensions: Length 2m, Width 1m, Height 1.2m

Age Range: 5+ years

Play Type: Active

Free Space Required: Length 5m, Width 4m

Minimum Safety Surface Area: 18m²

Free Fall Height: 0.4m

Assembly: Installation Required

Dimensions of Largest Part: Length 1.7m, Width 0.15m

Conformity to EN1176: Yes



Trim Trail Item

Wobble Log Bridge

Dimensions: Length 1.7m, Width 1m, Height 1.2m

Age Range: 5+ years

Play Type: Active

Free Space Required: Length 4.7m, Width 3.7m

Minimum Safety Surface Area: 16m²

Free Fall Height: 0.4m

Assembly: Installation Required

Dimensions of Largest Part: Length 1.7m, Width 0.15m

Conformity to EN1176: Yes



Trim Trail Item

Crawl Net

Dimensions: Length 2.3m, Width 1m, Height 0.6m **Age**

Range: 5+ years

Play Type: Active

Free Space Required: Length 5.3m, Width 4m

Minimum Safety Surface Area: 19m²

Free Fall Height: 0.6m

Assembly: Installation Required

Dimensions of Largest Part: Length 1.1m, Width 0.15m

Conformity to EN1176: Yes



Trim Trail Item

Activity Cube

Dimensions: Length 3.91m, Width 3.54m, Height 2.35m

Age Range: 5+ years

Play Type: Active

Free Space Required: Length 6.45m, Width 6.3m

Minimum Safety Surface Area: 38.7m²

Free Fall Height: 0.4m

Assembly: Installation Required

Dimensions of Largest Part: Length 3.05m, Width 0.15m

Conformity to EN1176: Yes



Trim Trail Item

Activity Trail Zig Zag

Dimensions: Length 8.08m, Width 2.42m, Height 2.35m Age

Range: 5+ years

Play Type: Active

Free Space Required: Length 10.75m, Width 5.02m

Minimum Safety Surface Area: 40m²

Free Fall Height: 0.51m

Assembly: Installation Required

Dimensions of Largest Part: Length 3.05m, Width 5.02m

Conformity to EN1176: Yes



Trim Trail Item

Activity Trail Incline

Dimensions: Length 10.75m, Width 0.6m, Height 2.35m

Age Range: 5+ years

Play Type: Active

Free Space Required: Length 13.75m, Width 3m

Minimum Safety Surface Area: 40m²

Free Fall Height: 0.51m

Assembly: Installation Required

Dimensions of Largest Part: Length 3.05m, Width 0.15m

Conformity to EN1176: Yes



Trim Trail Item

Rope Traverse

Dimensions: Length 2.8m, Width 0.3m, Height 2.35m

Age Range: 5+ years

Play Type: Active

Free Space Required: Length 5.8m, Width 3.15m

Minimum Safety Surface Area: 16m²

Free Fall Height: 0.4m

Assembly: Installation Required

Dimensions of Largest Part: Length 3.05m, Width 0.15m

Conformity to EN1176: Yes



Trim Trail Item

Net Rope Traverse

Dimensions: Length 2.8m, Width 0.3m, Height 2.35m

Age Range: 5+ years

Play Type: Active

Free Space Required: Length 5.8m, Width 3.15m

Minimum Safety Surface Area: 16m²

Free Fall Height: 1m

Assembly: Installation Required

Dimensions of Largest Part: Length 3.05m, Width 0.15m

Conformity to EN1176: Yes



Trim Trail Item

Rope Traverse

Dimensions: Length 2.8m, Width 0.3m, Height 2.35m

Age Range: 5+ years

Play Type: Active

Free Space Required: Length 5.8m, Width 3.15m

Minimum Safety Surface Area: 16m²

Free Fall Height: 0.4m

Assembly: Installation Required

Dimensions of Largest Part: Length 3.05m, Width 0.15m

Conformity to EN1176: Yes



Trim Trail Item

Net Rope Traverse

Dimensions: Length 2.8m, Width 0.3m, Height 2.35m

Age Range: 5+ years

Play Type: Active

Free Space Required: Length 5.8m, Width 3.15m

Minimum Safety Surface Area: 16m²

Free Fall Height: 1m

Assembly: Installation Required

Dimensions of Largest Part: Length 3.05m, Width 0.15m

Conformity to EN1176: Yes



Trim Trail Item

Weave Traverse

Dimensions: Length 2.8m, Width 0.3m, Height 2.35m

Age Range: 5+ years

Play Type: Active

Free Space Required: Length 5.8m, Width 3.15m

Minimum Safety Surface Area: 16m²

Free Fall Height: 0.4m

Assembly: Installation Required

Dimensions of Largest Part: Length 3.05m, Width 0.15m

Conformity to EN1176: Yes



Trim Trail Item

Cross Rope Traverse

Dimensions: Length 2.8m, Width 0.3m, Height 2.35m

Age Range: 5+ years

Play Type: Active

Free Space Required: Length 5.8m, Width 3.15m

Minimum Safety Surface Area: 16m²

Free Fall Height: 0.4m

Assembly: Installation Required

Dimensions of Largest Part: Length 3.05m, Width 0.15m

Conformity to EN1176: Yes



Trim Trail Item

Drop Rope Traverse

Dimensions: Length 2.8m, Width 0.3m, Height 2.35m

Age Range: 5+ years

Play Type: Active

Free Space Required: Length 5.8m, Width 3.15m

Minimum Safety Surface Area: 16m²

Free Fall Height: 0.3m

Assembly: Installation Required

Dimensions of Largest Part: Length 3.05m, Width 0.15m

Conformity to EN1176: Yes



Trim Trail Item

Hanging Log Traverse

Dimensions: Length 2.8m, Width 0.3m, Height 2.35m

Age Range: 5+ years

Play Type: Active

Free Space Required: Length 5.8m, Width 3.15m

Minimum Safety Surface Area: 16m²

Free Fall Height: 0.51m

Assembly: Installation Required

Dimensions of Largest Part: Length 3.05m, Width 0.15m

Conformity to EN1176: Yes



Trim Trail Item

A Frame Log Climber 1.5

Dimensions: Length 1.52m, Width 1.5m, Height 1.5m

Age Range: 5+ years

Play Type: Active

Free Space Required: Length 4.52m, Width 4.5m

Minimum Safety Surface Area: 19.5m²

Free Fall Height: 1.5m

Assembly: Installation Required

Dimensions of Largest Part: N/A

Conformity to EN1176: Yes



Trim Trail Item

A Frame Log Climber 1

Dimensions: Length 0.92m, Width 1.5m, Height 1m

Age Range: 3+ years

Play Type: Active

Free Space Required: Length 3.5m, Width 4.5m

Minimum Safety Surface Area: 16.7m²

Free Fall Height: 1m

Assembly: Installation Required

Dimensions of Largest Part: N/A

Conformity to EN1176: Yes



Trim Trail Item

A Frame Climber 1

Dimensions: Length 0.92m, Width 1.5m, Height 1m

Age Range: 3+ years

Play Type: Active

Free Space Required: Length 3.5m, Width 4.5m

Minimum Safety Surface Area: 16.7m²

Free Fall Height: 1m

Assembly: Installation Required

Dimensions of Largest Part: N/A

Conformity to EN1176: Yes



Trim Trail Item

A Frame Log Climber 1.5

Dimensions: Length 1.52m, Width 1.5m, Height 1.5m

Age Range: 5+ years

Play Type: Active

Free Space Required: Length 4.52m, Width 4.5m

Minimum Safety Surface Area: 19.5m²

Free Fall Height: 1.5m

Assembly: Installation Required

Dimensions of Largest Part: N/A

Conformity to EN1176: Yes



Trim Trail Item

Step Up Ladder

Dimensions: Length 1m, Width 0.3m, Height 1.8m

Age Range: 5+ years

Play Type: Active

Free Space Required: Length 3m, Width 2.15m

Minimum Safety Surface Area: 6.4m²

Free Fall Height: 0.6m

Assembly: Installation Required

Dimensions of Largest Part: Length 2.5m, Width 0.15m

Conformity to EN1176: Yes



Trim Trail Item

Roll Over Bars

Dimensions: Length 3.6m, Width 0.3m, Height 1.1m

Age Range: 5+ years

Play Type: Active

Free Space Required: Length 6.6m, Width 3.15m

Minimum Safety Surface Area: 20m²

Free Fall Height: 1.1m

Assembly: Installation Required

Dimensions of Largest Part: Length 1.7m, Width 0.15m

Conformity to EN1176: Yes



Trim Trail Item

Pull Up Bars

Dimensions: Length 3.6m, Width 0.3m, Height 1.5m

Age Range: 5+ years

Play Type: Active

Free Space Required: Length 6.6m, Width 3.15m

Minimum Safety Surface Area: 20m²

Free Fall Height: 1.5m

Assembly: Installation Required

Dimensions of Largest Part: Length 2.1m, Width 0.15m

Conformity to EN1176: Yes



Trim Trail Item

Double Traverse Wall

Dimensions: Length 2.44m, Width 0.32m, Height 1.8m

Age Range: 5+ years

Play Type: Active

Free Space Required: Length 5m, Width 4m

Minimum Safety Surface Area: 14.4m²

Free Fall Height: 0.65m

Assembly: Installation Required

Dimensions of Largest Part: Length 2.4m, Width 0.15m

Conformity to EN1176: Yes



Trim Trail Item

Trim Trail Package A

Dimensions: Length 10.34m, Width 1m, Height 1.8m

Age Range: 3+ years

Play Type: Active

Free Space Required: Length 13.34m, Width 4m

Minimum Safety Surface Area: 43.7m²

Free Fall Height: 0.6m

Assembly: Installation Required

Dimensions of Largest Part: Length 2.4m, Width 0.15m

Conformity to EN1176: Yes



Trim Trail Item

Trim Trail Package B

Dimensions: Length 11m, Width 1m, Height 1.2m

Age Range: 3+ years

Play Type: Active

Free Space Required: Length 14m, Width 4m

Minimum Safety Surface Area: 50.3m²

Free Fall Height: 0.6m

Assembly: Installation Required

Dimensions of Largest Part: Length 1.7m, Width 0.15m

Conformity to EN1176: Yes



Trim Trail Item

Trim Trail Package C

Dimensions: Length 12.2m, Width 0.6m, Height 2.35m

Age Range: 3+ years

Play Type: Active

Free Space Required: Length 15.2m, Width 3.45m

Minimum Safety Surface Area: 46.2m²

Free Fall Height: 0.6m

Assembly: Installation Required

Dimensions of Largest Part: Length 3.05m, Width 0.15m

Conformity to EN1176: Yes



Trim Trail Item

Trim Trail Package D

Dimensions: Length 12.72m, Width 0.54m, Height 2.35m

Age Range: 3+ years

Play Type: Active

Free Space Required: Length 15.72m, Width 3m

Minimum Safety Surface Area: 45.2m²

Free Fall Height: 0.6m

Assembly: Installation Required

Dimensions of Largest Part: Length 3.05m, Width 0.15m

Conformity to EN1176: Yes



Trim Trail Item

Trim Trail Package E

Dimensions: Length 14.62m, Width 1.48m, Height 1.8m

Age Range: 3+ years

Play Type: Active

Free Space Required: Length 17.62m, Width 4.4m


Minimum Safety Surface Area: 62.7m²

Free Fall Height: 0.6m

Assembly: Installation Required

Dimensions of Largest Part: Length 2.4m, Width 0.15m

Conformity to EN1176: Yes



Trim Trail Item

Trim Trail Package F

Dimensions: Length 19m, Width 1.5m, Height 2.35m

Age Range: 5+ years

Play Type: Active

Free Space Required: Length 22m, Width 4.5m

Minimum Safety Surface Area: 71m²

Free Fall Height: 1.5m

Assembly: Installation Required

Dimensions of Largest Part: Length 3.05m, Width 0.15m

Conformity to EN1176: Yes



Trim Trail Item

Single Activity Tower 150

Dimensions: Length 3.37m, Width 2.5m, Height 2.4m

Age Range: 5+ years

Play Type: Active

Free Space Required: Length 6.71m, Width 5.5m

Minimum Safety Surface Area: 29m²

Free Fall Height: 1.5m

Assembly: Installation Required

Dimensions of Largest Part: Length 3.2m, Width 0.15m

Conformity to EN1176: Yes



Trim Trail Item

Single Activity Tower 90

Dimensions : Length 2.53m, Width 1.68m, Height 1.75m

Age Range : 3+ years

Play Type : Active

Free Space Required : Length 5.8m, Width 4.68m

Minimum Safety Surface Area: 23.8m²

Free Fall Height: 0.9m

Assembly : Installation Required

Dimensions of Largest Part : Length 2.35m, Width 0.15m

Conformity to EN1176 : Yes



Trim Trail Item

Play Boat

Dimensions: Length 3.2m, Width 1.5m, Height 0.55m

Age Range: 3+ years

Play Type: Active

Free Space Required: Length 6.2m, Width 4.5m

Minimum Safety Surface Area: 23m²

Free Fall Height: 0.55m

Assembly: Installation Required

Dimensions of Largest Part: N/A

Conformity to EN1176: Yes



Trim Trail Item

Sand Pit

Dimensions : Length 1.5m, Width 1.5m, Height 0.23m

Age Range : 3+ years

Play Type : Active

Free Space Required : N/A

Minimum Safety Surface Area: N/A

Free Fall Height : 0.3m

Assembly : Installation Required

Dimensions of Largest Part : Length 1.5m, Width 1.5m

Conformity to EN1176 : Yes



Mud Kitchens and Planters

Bench Planter

Dimensions: Length 2.4m, Width 0.6m, Height 0.6m

Age Range: 3+ years

Play Type: Sensory

Free Space Required: N/A

Minimum Safety Surface Area: N/A

Free Fall Height: N/A

Assembly: Installation Required

Dimensions of Largest Part: Length 0.6m, Width 0.6m

Con f o r m i t y t o EN1176 : N/A



Mud Kitchens and Planters

Small Size Planter

Dimensions : Length 0.6m, Width 0.6m, Height 0.6m Age

Range : 3+ years

Play Type : Sensory

Free Space Required : N/A

Minimum Safety Surface Area: N/A

Free Fall Height: N/A

Assembly : Installation Required

Dimensions of Largest Part : Length 0.6m, Width 0.6m

Conformity to EN1176 : N/A



Mud Kitchens and Planters

Mid Size Planter

Dimensions: Length 0.6m, Width 0.6m, Height 0.75m

Age Range: 3+ years

Play Type: Sensory

Free Space Required: N/A

Minimum Safety Surface Area: N/A

Free Fall Height: N/A

Assembly: Installation Required

Dimensions of Largest Part: Length 0.6m, Width 0.6m

Conformity to EN1176 : N/A



Mud Kitchens and Planters

Mud Kitchen

Dimensions : Length 1.05m, Width 0.46m, Height 0.96m

Age Range : 3+ years

Play Type : Active

Free Space Required : N/A

Minimum Safety Surface Area: N/A

Free Fall Height: N/A

Assembly : Installation Required

Dimensions of Largest Part : Length 1.05m, Width 0.46m

Conformity to EN1176 : Yes





DID YOU KNOW?

Each year
about 12.5 million
tonnes of plastic is
made from fossil
fuels

DID YOU KNOW?

More than
30% of this plastic
is used for
short-lived
packaging
products

DID YOU KNOW?

Over 50% of
the light
packaging materials
from household
collections consist
of plastic

We believe that recycled plastic playground products bring with them a responsibility to educate children about the importance of recycling and to continue to develop new innovative products with recycled material

By recycling domestic and industrial plastic, we are actively contributing to the protection of our environment and its finite resources.

Compared to conventional processes, mechanical recycling has proven to be especially eco-efficient and CO2 recutive. By manufacturing products from 100% recycled plastic, it is in many cases diverting this waste going to landfill.

Finished products made from recycled plastic are also highly eco-friendly. Being chemically inert, they do not contaminate the environment in which they are used. They are made from 100% recycled plastic and are also 100% recyclable. They are extremely cost effective as their durability and long life eliminates any maintenance or replacement costs, which further adds to the protection of our environment.

Any offcuts created during the manufacturing process are fed back into the system. They are re-shredded and turned into another product. No plastic waste is created during the process and the material does not contain any substances that are harmful to the environment.





Premier Play Solutions

Sales Enquiries:

01949 861 486

info@premierplaysolutions.co.uk

Brookfield House, 48 Main Street Barkby, Leicestershire, LE7 3QG

Many schools are condemning their timber play equipment, often for similar reasons.



The play equipment is no longer safe due to rotting timber



Significant cracking of timber resulting in splinters and trapped fingers



Constant ongoing maintenance required



Short lifespan of equipment

Benefits of this product:

Very little maintenance required - Recycled plastic does not rot

No splinters or cracks like traditional timber

Resistant to vandalism - less flammable and more resistant to algae and insects

Hard-wearing and durable - lasts 5x longer than timber

UV resistant and available in different colours

Eco-friendly - 100% composed of recycled plastic bottles



Trim Trail Item

Wobble Board

Dimensions: Length 2m, Width 0.3m, Height 0.5m

Age Range: 3+ years

Play Type: Active

Free Space Required: Length 5m, Width 3.3m

Minimum Safety Surface Area: 15.6m²

Free Fall Height: 0.5m

Assembly: Installation Required

Dimensions of Largest Part: Length 2m, Width 0.3m

Conformity to EN1176: Yes



Trim Trail Item

Balance Beam

Dimensions: Length 2m, Width 0.2m, Height 0.3m

Age Range: 3+ years

Play Type: Active

Free Space Required: Length 5m, Width 3.1m

Minimum Safety Surface Area: 13.5m²

Free Fall Height: 0.3m

Assembly: Installation Required

Dimensions of Largest Part: Length 2m, Width 0.15m

Conformity to EN1176: Yes



Trim Trail Item

Incline Balance Beam

Dimensions: Length 2m, Width 0.2m, Height 0.4m

Age Range: 3+ years

Play Type: Active

Free Space Required: Length 5m, Width 3.1m

Minimum Safety Surface Area: 13.5m²

Free Fall Height: 0.4m

Assembly: Installation Required

Dimensions of Largest Part: Length 2m, Width 0.15m

Conformity to EN1176: Yes



Trim Trail Item

Zig Zag Balance Beams

Dimensions: Length 3.25m, Width 1.2m, Height 0.3m

Age Range: 3+ years

Play Type: Active

Free Space Required: Length 6.21m, Width 4.08m

Minimum Safety Surface Area: 20.5m²

Free Fall Height: 0.3m

Assembly: Installation Required

Dimensions of Largest Part: Length 1.5m, Width 0.15m

Conformity to EN1176: Yes



Trim Trail Item

Incline Balance Weave

Dimensions: Length 2m, Width 0.45m, Height 0.16m

Age Range: 3+ years

Play Type: Active

Free Space Required: Length 5m, Width 3.45m

Minimum Safety Surface Area: 16.4m²

Free Fall Height: 0.45m

Assembly: Installation Required

Dimensions of Largest Part: Length 2.1m, Width 0.15m

Conformity to EN1176: Yes



Trim Trail Item

Balance Weave

Dimensions: Length 2m, Width 0.45m, Height 1.6m

Age Range: 3+ years

Play Type: Active

Free Space Required: Length 5m, Width 3.45m

Minimum Safety Surface Area: 16.4m²

Free Fall Height: 0.4m

Assembly: Installation Required

Dimensions of Largest Part: Length 2.1m, Width 0.15m

Conformity to EN1176: Yes



Trim Trail Item

Stepping Stone Snake

Dimensions: Length 1.9m, Width 0.57m, Height 0.5m

Age Range: 3+ years

Play Type: Active

Free Space Required: Length 4.9m, Width 3.57m

Minimum Safety Surface Area: 13.8m²

Free Fall Height: 0.5m

Assembly: Installation Required

Dimensions of Largest Part: Length 0.8m, Width 0.15m

Conformity to EN1176: Yes



Trim Trail Item

Stepping Stone Set of 8

Dimensions: Length 1.2m, Width 0.45m, Height 0.4m

Age Range: 3+ years

Play Type: Active

Free Space Required: Length 4.2m, Width 3.15m

Minimum Safety Surface Area: 11m²

Free Fall Height: 0.4m

Assembly: Installation Required

Dimensions of Largest Part: Length 0.7m, Width 0.15m

Conformity to EN1176: Yes



Trim Trail Item

Stepping Stone Set of 6

Dimensions: Length 1.65m, Width 0.45m, Height 0.4m

Age Range: 3+ years

Play Type: Active

Free Space Required: Length 4.65m, Width 3.45m

Minimum Safety Surface Area: 13.5m²

Free Fall Height: 0.4m

Assembly: Installation Required

Dimensions of Largest Part: Length 0.7m, Width 0.15m

Conformity to EN1176: Yes



Trim Trail Item

Burma Bridge

Dimensions: Length 2m, Width 1m, Height 1.2m

Age Range: 5+ years

Play Type: Active

Free Space Required: Length 5m, Width 4m

Minimum Safety Surface Area: 18m²

Free Fall Height: 0.4m

Assembly: Installation Required

Dimensions of Largest Part: Length 1.7m, Width 0.15m

Conformity to EN1176: Yes



Trim Trail Item

Suspension bridge

Dimensions: Length 2m, Width 1m, Height 1.2m

Age Range: 5+ years

Play Type: Active

Free Space Required: Length 5m, Width 4m

Minimum Safety Surface Area: 18m²

Free Fall Height: 0.4m

Assembly: Installation Required

Dimensions of Largest Part: Length 1.7m, Width 0.15m

Conformity to EN1176: Yes



Trim Trail Item

Wobble Log Bridge

Dimensions: Length 1.7m, Width 1m, Height 1.2m

Age Range: 5+ years

Play Type: Active

Free Space Required: Length 4.7m, Width 3.7m

Minimum Safety Surface Area: 16m²

Free Fall Height: 0.4m

Assembly: Installation Required

Dimensions of Largest Part: Length 1.7m, Width 0.15m

Conformity to EN1176: Yes



Trim Trail Item

Crawl Net

Dimensions: Length 2.3m, Width 1m, Height 0.6m **Age**

Range: 5+ years

Play Type: Active

Free Space Required: Length 5.3m, Width 4m

Minimum Safety Surface Area: 19m²

Free Fall Height: 0.6m

Assembly: Installation Required

Dimensions of Largest Part: Length 1.1m, Width 0.15m

Conformity to EN1176: Yes



Trim Trail Item

Activity Cube

Dimensions: Length 3.91m, Width 3.54m, Height 2.35m

Age Range: 5+ years

Play Type: Active

Free Space Required: Length 6.45m, Width 6.3m

Minimum Safety Surface Area: 38.7m²

Free Fall Height: 0.4m

Assembly: Installation Required

Dimensions of Largest Part: Length 3.05m, Width 0.15m

Conformity to EN1176: Yes



Trim Trail Item

Activity Trail Zig Zag

Dimensions: Length 8.08m, Width 2.42m, Height 2.35m Age

Range: 5+ years

Play Type: Active

Free Space Required: Length 10.75m, Width 5.02m

Minimum Safety Surface Area: 40m²

Free Fall Height: 0.51m

Assembly: Installation Required

Dimensions of Largest Part: Length 3.05m, Width 5.02m

Conformity to EN1176: Yes



Trim Trail Item

Activity Trail Incline

Dimensions: Length 10.75m, Width 0.6m, Height 2.35m

Age Range: 5+ years

Play Type: Active

Free Space Required: Length 13.75m, Width 3m

Minimum Safety Surface Area: 40m²

Free Fall Height: 0.51m

Assembly: Installation Required

Dimensions of Largest Part: Length 3.05m, Width 0.15m

Conformity to EN1176: Yes



Trim Trail Item

Rope Traverse

Dimensions: Length 2.8m, Width 0.3m, Height 2.35m

Age Range: 5+ years

Play Type: Active

Free Space Required: Length 5.8m, Width 3.15m

Minimum Safety Surface Area: 16m²

Free Fall Height: 0.4m

Assembly: Installation Required

Dimensions of Largest Part: Length 3.05m, Width 0.15m

Conformity to EN1176: Yes



Trim Trail Item

Net Rope Traverse

Dimensions: Length 2.8m, Width 0.3m, Height 2.35m

Age Range: 5+ years

Play Type: Active

Free Space Required: Length 5.8m, Width 3.15m

Minimum Safety Surface Area: 16m²

Free Fall Height: 1m

Assembly: Installation Required

Dimensions of Largest Part: Length 3.05m, Width 0.15m

Conformity to EN1176: Yes



Trim Trail Item

Rope Traverse

Dimensions: Length 2.8m, Width 0.3m, Height 2.35m

Age Range: 5+ years

Play Type: Active

Free Space Required: Length 5.8m, Width 3.15m

Minimum Safety Surface Area: 16m²

Free Fall Height: 0.4m

Assembly: Installation Required

Dimensions of Largest Part: Length 3.05m, Width 0.15m

Conformity to EN1176: Yes



Trim Trail Item

Net Rope Traverse

Dimensions: Length 2.8m, Width 0.3m, Height 2.35m

Age Range: 5+ years

Play Type: Active

Free Space Required: Length 5.8m, Width 3.15m

Minimum Safety Surface Area: 16m²

Free Fall Height: 1m

Assembly: Installation Required

Dimensions of Largest Part: Length 3.05m, Width 0.15m

Conformity to EN1176: Yes



Trim Trail Item

Weave Traverse

Dimensions: Length 2.8m, Width 0.3m, Height 2.35m

Age Range: 5+ years

Play Type: Active

Free Space Required: Length 5.8m, Width 3.15m

Minimum Safety Surface Area: 16m²

Free Fall Height: 0.4m

Assembly: Installation Required

Dimensions of Largest Part: Length 3.05m, Width 0.15m

Conformity to EN1176: Yes



Trim Trail Item

Cross Rope Traverse

Dimensions: Length 2.8m, Width 0.3m, Height 2.35m

Age Range: 5+ years

Play Type: Active

Free Space Required: Length 5.8m, Width 3.15m

Minimum Safety Surface Area: 16m²

Free Fall Height: 0.4m

Assembly: Installation Required

Dimensions of Largest Part: Length 3.05m, Width 0.15m

Conformity to EN1176: Yes



Trim Trail Item

Drop Rope Traverse

Dimensions: Length 2.8m, Width 0.3m, Height 2.35m

Age Range: 5+ years

Play Type: Active

Free Space Required: Length 5.8m, Width 3.15m

Minimum Safety Surface Area: 16m²

Free Fall Height: 0.3m

Assembly: Installation Required

Dimensions of Largest Part: Length 3.05m, Width 0.15m

Conformity to EN1176: Yes



Trim Trail Item

Hanging Log Traverse

Dimensions: Length 2.8m, Width 0.3m, Height 2.35m

Age Range: 5+ years

Play Type: Active

Free Space Required: Length 5.8m, Width 3.15m

Minimum Safety Surface Area: 16m²

Free Fall Height: 0.51m

Assembly: Installation Required

Dimensions of Largest Part: Length 3.05m, Width 0.15m

Conformity to EN1176: Yes



Trim Trail Item

A Frame Log Climber 1.5

Dimensions: Length 1.52m, Width 1.5m, Height 1.5m

Age Range: 5+ years

Play Type: Active

Free Space Required: Length 4.52m, Width 4.5m

Minimum Safety Surface Area: 19.5m²

Free Fall Height: 1.5m

Assembly: Installation Required

Dimensions of Largest Part: N/A

Conformity to EN1176: Yes



Trim Trail Item

A Frame Log Climber 1

Dimensions: Length 0.92m, Width 1.5m, Height 1m

Age Range: 3+ years

Play Type: Active

Free Space Required: Length 3.5m, Width 4.5m

Minimum Safety Surface Area: 16.7m²

Free Fall Height: 1m

Assembly: Installation Required

Dimensions of Largest Part: N/A

Conformity to EN1176: Yes



Trim Trail Item

A Frame Climber 1

Dimensions: Length 0.92m, Width 1.5m, Height 1m

Age Range: 3+ years

Play Type: Active

Free Space Required: Length 3.5m, Width 4.5m

Minimum Safety Surface Area: 16.7m²

Free Fall Height: 1m

Assembly: Installation Required

Dimensions of Largest Part: N/A

Conformity to EN1176: Yes



Trim Trail Item

A Frame Log Climber 1.5

Dimensions: Length 1.52m, Width 1.5m, Height 1.5m

Age Range: 5+ years

Play Type: Active

Free Space Required: Length 4.52m, Width 4.5m

Minimum Safety Surface Area: 19.5m²

Free Fall Height: 1.5m

Assembly: Installation Required

Dimensions of Largest Part: N/A

Conformity to EN1176: Yes



Trim Trail Item

Step Up Ladder

Dimensions: Length 1m, Width 0.3m, Height 1.8m

Age Range: 5+ years

Play Type: Active

Free Space Required: Length 3m, Width 2.15m

Minimum Safety Surface Area: 6.4m²

Free Fall Height: 0.6m

Assembly: Installation Required

Dimensions of Largest Part: Length 2.5m, Width 0.15m

Conformity to EN1176: Yes



Trim Trail Item

Roll Over Bars

Dimensions: Length 3.6m, Width 0.3m, Height 1.1m

Age Range: 5+ years

Play Type: Active

Free Space Required: Length 6.6m, Width 3.15m

Minimum Safety Surface Area: 20m²

Free Fall Height: 1.1m

Assembly: Installation Required

Dimensions of Largest Part: Length 1.7m, Width 0.15m

Conformity to EN1176: Yes



Trim Trail Item

Pull Up Bars

Dimensions: Length 3.6m, Width 0.3m, Height 1.5m

Age Range: 5+ years

Play Type: Active

Free Space Required: Length 6.6m, Width 3.15m

Minimum Safety Surface Area: 20m²

Free Fall Height: 1.5m

Assembly: Installation Required

Dimensions of Largest Part: Length 2.1m, Width 0.15m

Conformity to EN1176: Yes



Trim Trail Item

Double Traverse Wall

Dimensions: Length 2.44m, Width 0.32m, Height 1.8m

Age Range: 5+ years

Play Type: Active

Free Space Required: Length 5m, Width 4m

Minimum Safety Surface Area: 14.4m²

Free Fall Height: 0.65m

Assembly: Installation Required

Dimensions of Largest Part: Length 2.4m, Width 0.15m

Conformity to EN1176: Yes



Trim Trail Item

Trim Trail Package A

Dimensions: Length 10.34m, Width 1m, Height 1.8m

Age Range: 3+ years

Play Type: Active

Free Space Required: Length 13.34m, Width 4m

Minimum Safety Surface Area: 43.7m²

Free Fall Height: 0.6m

Assembly: Installation Required

Dimensions of Largest Part: Length 2.4m, Width 0.15m

Conformity to EN1176: Yes



Trim Trail Item

Trim Trail Package B

Dimensions: Length 11m, Width 1m, Height 1.2m

Age Range: 3+ years

Play Type: Active

Free Space Required: Length 14m, Width 4m

Minimum Safety Surface Area: 50.3m²

Free Fall Height: 0.6m

Assembly: Installation Required

Dimensions of Largest Part: Length 1.7m, Width 0.15m

Conformity to EN1176: Yes



Trim Trail Item

Trim Trail Package C

Dimensions: Length 12.2m, Width 0.6m, Height 2.35m

Age Range: 3+ years

Play Type: Active

Free Space Required: Length 15.2m, Width 3.45m

Minimum Safety Surface Area: 46.2m²

Free Fall Height: 0.6m

Assembly: Installation Required

Dimensions of Largest Part: Length 3.05m, Width 0.15m

Conformity to EN1176: Yes



Trim Trail Item

Trim Trail Package D

Dimensions: Length 12.72m, Width 0.54m, Height 2.35m

Age Range: 3+ years

Play Type: Active

Free Space Required: Length 15.72m, Width 3m

Minimum Safety Surface Area: 45.2m²

Free Fall Height: 0.6m

Assembly: Installation Required

Dimensions of Largest Part: Length 3.05m, Width 0.15m

Conformity to EN1176: Yes



Trim Trail Item

Trim Trail Package E

Dimensions: Length 14.62m, Width 1.48m, Height 1.8m

Age Range: 3+ years

Play Type: Active

Free Space Required: Length 17.62m, Width 4.4m


Minimum Safety Surface Area: 62.7m²

Free Fall Height: 0.6m

Assembly: Installation Required

Dimensions of Largest Part: Length 2.4m, Width 0.15m

Conformity to EN1176: Yes



Trim Trail Item

Trim Trail Package F

Dimensions: Length 19m, Width 1.5m, Height 2.35m

Age Range: 5+ years

Play Type: Active

Free Space Required: Length 22m, Width 4.5m

Minimum Safety Surface Area: 71m²

Free Fall Height: 1.5m

Assembly: Installation Required

Dimensions of Largest Part: Length 3.05m, Width 0.15m

Conformity to EN1176: Yes



Trim Trail Item

Single Activity Tower 150

Dimensions: Length 3.37m, Width 2.5m, Height 2.4m

Age Range: 5+ years

Play Type: Active

Free Space Required: Length 6.71m, Width 5.5m

Minimum Safety Surface Area: 29m²

Free Fall Height: 1.5m

Assembly: Installation Required

Dimensions of Largest Part: Length 3.2m, Width 0.15m

Conformity to EN1176: Yes



Trim Trail Item

Single Activity Tower 90

Dimensions : Length 2.53m, Width 1.68m, Height 1.75m

Age Range : 3+ years

Play Type : Active

Free Space Required : Length 5.8m, Width 4.68m

Minimum Safety Surface Area: 23.8m²

Free Fall Height: 0.9m

Assembly : Installation Required

Dimensions of Largest Part : Length 2.35m, Width 0.15m

Conformity to EN1176 : Yes



Trim Trail Item

Play Boat

Dimensions: Length 3.2m, Width 1.5m, Height 0.55m

Age Range: 3+ years

Play Type: Active

Free Space Required: Length 6.2m, Width 4.5m

Minimum Safety Surface Area: 23m²

Free Fall Height: 0.55m

Assembly: Installation Required

Dimensions of Largest Part: N/A

Conformity to EN1176: Yes



Trim Trail Item

Sand Pit

Dimensions : Length 1.5m, Width 1.5m, Height 0.23m

Age Range : 3+ years

Play Type : Active

Free Space Required : N/A

Minimum Safety Surface Area: N/A

Free Fall Height : 0.3m

Assembly : Installation Required

Dimensions of Largest Part : Length 1.5m, Width 1.5m

Conformity to EN1176 : Yes



Mud Kitchens and Planters

Bench Planter

Dimensions: Length 2.4m, Width 0.6m, Height 0.6m

Age Range: 3+ years

Play Type: Sensory

Free Space Required: N/A

Minimum Safety Surface Area: N/A

Free Fall Height: N/A

Assembly: Installation Required

Dimensions of Largest Part: Length 0.6m, Width 0.6m

Con f o r m i t y t o EN1176 : N/A



Mud Kitchens and Planters

Small Size Planter

Dimensions : Length 0.6m, Width 0.6m, Height 0.6m Age

Range : 3+ years

Play Type : Sensory

Free Space Required : N/A

Minimum Safety Surface Area: N/A

Free Fall Height: N/A

Assembly : Installation Required

Dimensions of Largest Part : Length 0.6m, Width 0.6m

Conformity to EN1176 : N/A



Mud Kitchens and Planters

Mid Size Planter

Dimensions: Length 0.6m, Width 0.6m, Height 0.75m

Age Range: 3+ years

Play Type: Sensory

Free Space Required: N/A

Minimum Safety Surface Area: N/A

Free Fall Height: N/A

Assembly: Installation Required

Dimensions of Largest Part: Length 0.6m, Width 0.6m

Conformity to EN1176 : N/A



Mud Kitchens and Planters

Mud Kitchen

Dimensions : Length 1.05m, Width 0.46m, Height 0.96m

Age Range : 3+ years

Play Type : Active

Free Space Required : N/A

Minimum Safety Surface Area: N/A

Free Fall Height: N/A

Assembly : Installation Required

Dimensions of Largest Part : Length 1.05m, Width 0.46m

Conformity to EN1176 : Yes





DID YOU KNOW?

Each year
about 12.5 million
tonnes of plastic is
made from fossil
fuels

DID YOU KNOW?

More than
30% of this plastic
is used for
short-lived
packaging
products

DID YOU KNOW?

Over 50% of
the light
packaging materials
from household
collections consist
of plastic

We believe that recycled plastic playground products bring with them a responsibility to educate children about the importance of recycling and to continue to develop new innovative products with recycled material

By recycling domestic and industrial plastic, we are actively contributing to the protection of our environment and its finite resources.

Compared to conventional processes, mechanical recycling has proven to be especially eco-efficient and CO2 recutive. By manufacturing products from 100% recycled plastic, it is in many cases diverting this waste going to landfill.

Finished products made from recycled plastic are also highly eco-friendly. Being chemically inert, they do not contaminate the environment in which they are used. They are made from 100% recycled plastic and are also 100% recyclable. They are extremely cost effective as their durability and long life eliminates any maintenance or replacement costs, which further adds to the protection of our environment.

Any offcuts created during the manufacturing process are fed back into the system. They are re-shredded and turned into another product. No plastic waste is created during the process and the material does not contain any substances that are harmful to the environment.





Premier Play Solutions

Sales Enquiries:

01949 861 486

info@premierplaysolutions.co.uk

Brookfield House, 48 Main Street Barkby, Leicestershire, LE7 3QG